PLANT AND SOIL

Contents Volume 225, Nos. 1/2 2000

Ontogenetic variations on absorption and utilization of phosphorus in common bean cultivars under biological nitrogen fixation
A.P. Araújo and M.G. Teixeira 1–10

Cultivar variation in the effect of chlorsulfuron in depressing the uptake of copper in wheat
C. Tang and A.D. Robson 11–20

Ethylene production, cluster root formation, and localization of iron(III) reducing capacity in Fe deficient squash roots
B.M. Waters and D.G. Blevins 21–31

Autumn leaf colours as indicators of decomposition rate in sycamore (*Acer pseudoplatanus* L.)
J.H.C. Cornelissen, N. Pérez-Harguindeguy, D. Gwynn-Jones, S. Díaz, T.V. Callaghan and R. Aerts 33–38

Earthworm and enchytraeid activity under different arable farming systems, as exemplified by biogenic structures
S. Topoliantz, J.-F. Ponge and P. Viaux 39–51

A comparison of nine species of arbuscular mycorrhizal fungi on the development and nutrition of micropropagated *Rubus idaeus* L. cv. Glen Prosen (Red Raspberry)
J. Taylor and L. Harrier 53–61

Nitrogen use in mixed tree crop plantations with a legume cover crop
J. Lehmann, J. Pereira da Silva Jr., G. Schroth, G. Gebauer, L. Ferreira da Silva 63–72

The effects of external potassium and magnesium concentrations on the magnesium and potassium inflow rates and growth of micropropagated cherry rootstocks, 'F.12/1' (*Prunus avium* L.) and 'Colt' (*Prunus avium* L.) × *Prunus pseudocerasus* L.)
Y.E. Troyanos, N.A. Hipps, J. Moorby and G. Kingswell 73–82

Effect of alkaline and saline substrates on ABA contents, distribution and transport in plant roots
B. Degenhardt, H. Gimmler, E. Hose and W. Hartung 83–94

Diagnosing sulfur deficiency in field-grown oilseed rape (*Brassica napus* L.) and wheat (*Triticum aestivum* L.)
M.M.A. Blake-Kalff, M.J. Hawkesford, F.J. Zhao and S.P. McGrath 95–107

Metabolism of polychlorinated biphenyls by *Solanum nigrum* hairy root clone SNC-9O and analysis of transformation products
P. Kučerová, M. Macková, L. Chromá, J. Burkhard, J. Tříska, K. Demnerová and T. Macek 109–115

Root-induced increases in soil pH and nutrient availability to field-grown cereals and legumes on acid sandy soils of Sudano-Sahelian West Africa
M. Bagayoko, S. Alvey, G. Neumann and A. Buerkert 117–127

Contrasting fine-root production, survival and soil CO_2 efflux in pine and poplar plantations
M.D. Coleman, R.E. Dickson and J.G. Isebrands 129–139

Tillage, crop residue, legume rotation, and green manure effects on sorghum and millet yields in the semiarid tropics of Mali
Z. Kouyaté, K. Franzluebbers, A.S.R. Juo and L.R. Hossner **141–151**

Influence of decomposer food web structure and nitrogen availability on plant growth
J. Laakso, H. Setälä and A. Palojärvi **153–165**

Effects of low and high levels of magnesium on the response of sunflower plants grown with ammonium and nitrate
B. Lasa, S. Frechilla, M. Aleu, B. González-Moro, C. Lamsfus and P.M. Aparicio-Tejo **167–174**

Influence of synthetic sheep urine on the microbial biomass, activity and community structure in two pastures in the Scottish uplands
B.L. Williams, S.J. Grayston and E.J. Reid **175–185**

Colonization of wheat by *Azospirillum brasilense* Cd is impaired by saline stress
S. Fischer, V. Rivarola and G. Mori **187–191**

Selenium as an anti-oxidant and pro-oxidant in ryegrass
H. Hartikainen, T. Xue and V. Piironen **193–200**

The relative contribution of symbiotic N_2 fixation and other nitrogen sources to grassland ecosystems along an altitudinal gradient in the Alps
K.A. Jacot, A. Lüscher, J. Nösberger and U.A. Hartwig **201–211**

Changes in soil CO_2 and O_2 concentrations when radiata pine is grown in competition with pasture or weeds and possible feedbacks with radiata pine root growth and respiration
R. Sands, P.B. Nugroho, D.W.M. Leung, O.J. Sun and P.W. Clinton **213–225**

Morphological and physiological reactions of young deciduous trees (*Quercus robur* L., *Q. petraea* [Matt.] Liebl., *Fagus sylvatica* L.) to waterlogging
M. Schmull and F.M. Thomas **227–242**

Boron efficiency in oilseed rape: I. Genotypic variation demonstrated in field and pot grown *Brassica napus* L. and *Brassica juncea* L.
J.C.R. Stangoulis, H.S. Grewal, R.W. Bell and R.D. Graham **243–251**

Boron efficiency in oilseed rape: II. Development of a rapid lab-based screening technique
J.C.R. Stangoulis, M.J. Webb and R.D. Graham **253–261**

Crop rotation and residue management effects on carbon sequestration, nitrogen cycling and productivity of irrigated rice systems
C. Witt, K.G. Cassman, D.C. Olk, U. Biker, S.P. Liboon, M.I. Samson and J.C.G. Ottow **263–278**

The effect of three or five years of set-aside on the husbandry and grain yield of subsequent cereal crops in the UK
J.M. Smith, S.K. Cook, A.R. Mills, E.T.G. Bacon and J.H. Clarke **279–297**

A comparison between Ca and Sr cycling in forest ecosystems
A. Poszwa, E. Dambrine, B. Pollier and O. Atteia **299–310**

Author index **311**